



报告编号: Y2303090



检验报告

Test Report

样品名称: 经典 仁山 普洱茶 (生茶)

委托单位: 勐腊易武福元昌茶业有限公司

检验类型: 委托检验

西双版纳州质量技术监督综合检测中心

XiShuangBanNa Prefecture Comprehensive Inspection Center of Quality and Technical

西双版纳州质量技术监督综合检测中心

检验报告

TEST REPORT

No: Y2303090

第 1 页 共 4 页

样品名称 Name of Sample	经典 仁山 普洱茶（生茶）	检验类别 Test Purpose	委托检验
商 标 Trade Mark	福元昌	样品等级 Grade	/
样品批号 Original Number	/	生产日期 Production Date	2023-03-12
型号规格 Type	357克/饼		
生产单位 Produced by	勐海陈升茶业有限公司		
委托单位 Supplier	勐腊易武福元昌茶业有限公司		
来样方式 Received Method	委托方送样	委托单号 Number of Client	Y2303090
样品数量 Sum of Sample	2饼	抽样单号 No of Sampling	/
抽样基数 Base of Sample	/	样品状态 Status of Sample	圆饼形、棉纸包装
到样日期 Date of Received	2023-03-13	检验日期 Date of Testing	2023-03-13~2023-03-20
检验/判定依据 Test/Judgment Standard	Q/CSC 0004 S-2022《福元昌普洱茶》		
检验结论 Conclusion	经对该样品进行检验，所检项目符合Q/CSC 0004 S-2022《福元昌普洱茶》的规定要求。		
备 注 Comment	与样品相关的信息为样品明示标识或委托方提供	签 发 日期： Date of Issue:	2023-03-20
委托单位信息 Client's Message	名称 Name	勐腊易武福元昌茶业有限公司	
	地址 Address	云南西双版纳勐腊县易武镇老街606号福元昌	
	邮编 Postal Code	/	电话 Telephone 15887251114

批 准：
Approved by:审 核：
Checked by:主 检：
Tested by:

西双版纳州质量技术监督综合检测中心

检验报告附页

No: Y2303090

第 2 页 共 4 页

序号	检测项目	单位	检测方法	技术要求	检测结果	判定
1	色泽	/	GB/T 23776-2018	墨绿油润	墨绿油润	合格
2	外形	/	GB/T 23776-2018	松紧适度、平滑、整齐、端正、厚薄匀称、不起层掉面、纹理清晰	松紧适度、平滑、整齐、端正、厚薄匀称、不起层掉面、纹理清晰	合格
3	汤色	/	GB/T 23776-2018	黄绿明亮	黄绿明亮	合格
4	香气	/	GB/T 23776-2018	香气纯正、暗香气足	香气纯正、暗香气足	合格
5	滋味	/	GB/T 23776-2018	滋味浓烈、甜爽、醇厚甘甜	滋味浓烈、甜爽、醇厚甘甜	合格
6	叶底	/	GB/T 23776-2018	叶底饱满、油润均匀	叶底饱满、油润均匀	合格
7	水分	g/100g	GB 5009.3-2016	≤ 10.0	5.25	合格
8	总灰分	g/100g	GB 5009.4-2016	≤ 7.5	6.2	合格
9	水浸出物	g/100g	GB/T 8305-2013	≥ 40.0	46.3	合格
10	茶多酚	g/100g	GB/T 8313-2018	/	21.6	/
11	铅（以Pb计）	mg/kg	GB 5009.12-2017	≤ 2.0	0.031	合格
12	大肠菌群	MPN/100g	GB 4789.3-2003	≤ 300	< 30	合格
13	致病菌（沙门氏菌、志贺氏菌、金黄色葡萄球菌）	/	GB 4789.4-2016、GB 4789.5-2012、GB 4789.10-2016	不得检出	未检出	合格
14	滴滴涕	mg/kg	GB 23200.113-2018	≤ 0.2	未检出（检出限0.0015）	合格
15	六六六	mg/kg	GB 23200.113-2018	≤ 0.2	未检出（检出限0.001）	合格
16	氯氰菊酯和高效氯氰菊酯	mg/kg	GB 23200.113-2018	≤ 0.5	未检出（检出限0.025）	合格
17	氟氰戊菊酯	mg/kg	GB 23200.113-2018	≤ 20	未检出（检出限0.005）	合格
18	杀螟硫磷	mg/kg	GB 23200.113-2018	≤ 0.5	未检出（检出限0.0025）	合格

西双版纳州质量技术监督综合检测中心

检验报告附页

No: Y2303090

第 3 页 共 4 页

序号	检测项目	单位	检测方法	技术要求	检测结果	判定
19	溴氰菊酯	mg/kg	GB 23200.113-2018	≤ 5.0	未检出 (检出限0.025)	合格
20	乐果	mg/kg	GB 23200.113-2018	≤ 0.1	未检出 (检出限0.025)	合格
21	苯醚甲环唑	mg/kg	GB 23200.113-2018	≤ 10	未检出 (检出限0.025)	合格
22	氯菊酯	mg/kg	GB 23200.113-2018	≤ 20	未检出 (检出限0.005)	合格
23	氰戊菊酯和S-氰戊菊酯	mg/kg	GB 23200.113-2018	≤ 2.0	未检出 (检出限0.005)	合格
24	三氯杀螨醇	mg/kg	GB 23200.113-2018	≤ 0.01	未检出 (检出限0.0025)	合格
25	氟氯氰菊酯和高效氟氯氰菊酯	mg/kg	GB 23200.113-2018	≤ 1	未检出 (检出限0.0025)	合格
26	氯氟氰菊酯和高效氯氟氰菊酯	mg/kg	GB 23200.113-2018	≤ 15	未检出 (检出限0.0025)	合格
27	硫丹	mg/kg	GB 23200.113-2018	≤ 10	未检出 (检出限0.002)	合格
28	甲氰菊酯	mg/kg	GB 23200.113-2018	≤ 5	未检出 (检出限0.005)	合格
29	哒螨灵	mg/kg	GB 23200.113-2018	≤ 5	未检出 (检出限0.001)	合格
30	甲基对硫磷	mg/kg	GB 23200.113-2018	≤ 0.02	未检出 (检出限0.01)	合格
31	氯唑磷	mg/kg	GB 23200.113-2018	≤ 0.01	未检出 (检出限0.0025)	合格
32	甲拌磷	mg/kg	GB 23200.113-2018	≤ 0.01	未检出 (检出限0.0003)	合格
33	灭线磷	mg/kg	GB 23200.113-2018	≤ 0.05	未检出 (检出限0.0025)	合格
34	水胺硫磷	mg/kg	GB 23200.113-2018	≤ 0.05	未检出 (检出限0.0025)	合格
35	甲基异柳磷	mg/kg	GB 23200.113-2018	≤ 0.01	未检出 (检出限0.0003)	合格
36	乙螨唑	mg/kg	GB 23200.113-2018	≤ 15	未检出 (检出限0.005)	合格
37	西玛津	mg/kg	GB 23200.113-2018	≤ 0.05	未检出 (检出限0.01)	合格

西双版纳州质量技术监督综合检测中心

检验报告附页

No: Y2303090

第 4 页 共 4 页

序号	检测项目	单位	检测方法	技术要求	检测结果	判定
38	丙溴磷	mg/kg	GB 23200.113-2018	≤0.5	未检出（检出限0.01）	合格
39	毒死蜱	mg/kg	GB 23200.113-2018	≤2	未检出（检出限0.0005）	合格
40	莠去津	mg/kg	GB 23200.113-2018	≤0.1	未检出（检出限0.005）	合格
41	杀扑磷	mg/kg	GB 23200.113-2018	≤0.05	未检出（检出限0.0025）	合格
42	联苯菊酯	mg/kg	GB 23200.113-2018	≤5.0	0.0082	合格

以 下 空 白

说明

1. 报告无主检、审核、批准签字，或涂改、或未盖“检验报告专用章”无效。
2. 复制报告无效。
3. 检验项目带“★”号者为分包检验项目。
4. 对报告若有异议，委托方应于报告发出之日起十五日内向检验单位提出。
5. 送样委托检验结果，仅对来样负责。本报告不得用于广告宣传。对非行政执法部门的委托检验，本报告不得作为仲裁、裁决之用。

地址：景洪市么龙路25号

邮政编码：666100

受理大厅：0691-2227888

传 真：0691-2227789

投诉电话：0691-2227722

监督电话：0691-2227719

Explanation

1. The report is invalid without the signature of tester, inspector ,and approval
or it was altered, without the original steel stamp (only for test report) of testing body.
2. A copy of report is invalid.
3. Test items with “ ★ ” are subcontracted items.
4. Any disputes to the test reports shall be claimed in written to the testing body within 15 days upon the receipt of the report.
5. The test report is only valid for the sample delivered by client. The test report shall not be used for propagation and advertisement. Enforce the law a section to entrust an examination to the non-administration, this report can not be a decision, arbitrate it to use.

Add: No. 25, Melong Road Jinghong City Postal code: 666100

Acc office : 0691-2227888

Fax: 0691-2227789

Complaint : 0691-2227722

Supervision : 0691-2227719